

# SI-M1B - Mounting frame

1404494

<https://www.phoenixcontact.com/us/products/1404494>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Mounting frame for two front plates/sockets, plastic frame: black, plastic cover: transparent, closed with 3 mm two-way key bit and rotary knob, included.



## Commercial data

Item number	1404494
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BF70
Product key	BF7EAX
Catalog page	Page 708 (C-2-2019)
GTIN	4046356698375
Weight per piece (including packing)	194 g
Weight per piece (excluding packing)	194 g
Customs tariff number	39269097
Country of origin	DE

# SI-M1B - Mounting frame

1404494

<https://www.phoenixcontact.com/us/products/1404494>

## Technical data

### Notes

General	with enclosed rotary knob
---------	---------------------------

### Product properties

Product type	Mounting frame
Type	for 2 front plates

### Dimensions

Dimensional drawing	
Width	131 mm
Depth	34.5 mm
Length	127 mm

### Installation dimensions

Width of the assembly cutout	117 mm
Length of the assembly cutout	91 mm

### Material specifications

Material Housing	PBT
Flammability rating according to UL 94	V0

### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP65
Ambient temperature (operation)	-30 °C ... 70 °C
Ambient temperature (storage/transport)	-30 °C ... 80 °C

### Mounting

Assembly instructions	Suitable for panel thicknesses 1 mm ... 5 mm
-----------------------	--

# SI-M1B - Mounting frame

1404494

<https://www.phoenixcontact.com/us/products/1404494>



## Classifications

### ECLASS

ECLASS-11.0	27182702
ECLASS-13.0	27182806

### ETIM

ETIM 9.0	EC000456
----------	----------

### UNSPSC

UNSPSC 21.0	31261500
-------------	----------

# SI-M1B - Mounting frame



1404494

<https://www.phoenixcontact.com/us/products/1404494>

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)