

# SI-FP-R1A-U1A/0,7 - Front plate



1404512

<https://www.phoenixcontact.com/us/products/1404512>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Front plate with contact inserts, plastic with shroud, 1 x USB (socket/socket/0.7 m cable) type A;  
1 x RJ45, 8-pos. metal, CAT5e (socket/socket)



## Commercial data

Item number	1404512
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BF70
Product key	BF7EDX
Catalog page	Page 710 (C-2-2019)
GTIN	4046356698528
Weight per piece (including packing)	76.4 g
Weight per piece (excluding packing)	76.4 g
Customs tariff number	85366990
Country of origin	DE

# SI-FP-R1A-U1A/0,7 - Front plate

1404512

<https://www.phoenixcontact.com/us/products/1404512>

## Technical data

### Product properties

Product type	Data front plate
Number of slots	2


### Electrical properties

Rated current	1 A (USB A)
	max. 175 mA (RJ45, D-SUB 9, UL rating)

### Connection data

Tightening torque	0.8 ... 1 Nm
-------------------	--------------

### Dimensions

Dimensional drawing	
Width	29.7 mm
Height	29.7 mm
Depth	20 mm

### Material specifications

Material Front plate	PBT
----------------------	-----

### Connector

Contact insert design	with 1x RJ45 Socket/socket, snap-in slot locking
	with 1x USB A 2.0 Socket/socket with 0.7 m cable, snap-in slot locking

### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP20
Ambient temperature (operation)	-10 °C ... 60 °C

### Mounting

Assembly instructions	suitable for all mounting frames
-----------------------	----------------------------------

# SI-FP-R1A-U1A/0,7 - Front plate



1404512

<https://www.phoenixcontact.com/us/products/1404512>

## Classifications

### ECLASS

ECLASS-11.0	27182806
ECLASS-12.0	27182806
ECLASS-13.0	27182806

### ETIM

ETIM 9.0	EC000456
----------	----------

### UNSPSC

UNSPSC 21.0	39121300
-------------	----------

# SI-FP-R1A-U1A/0,7 - Front plate



1404512

<https://www.phoenixcontact.com/us/products/1404512>

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)