

https://www.phoenixcontact.com/us/products/1407588



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Mounting frame for one front plate/socket, plastic frame: black, plastic cover: metallic, closed with 3 mm two-way key bit and rotary knob, included.



Commercial data

Item number	1407588
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BF70
Product key	BF7EAX
Catalog page	Page 714 (C-2-2017)
GTIN	4046356776004
Weight per piece (including packing)	120 g
Weight per piece (excluding packing)	120 g
Customs tariff number	85389099
Country of origin	DE



https://www.phoenixcontact.com/us/products/1407588



Technical data

Notes

General	with enclosed rotary knob	
Product properties		

Product type	Mounting frame
Туре	for 1 front plate

Dimensions

Dimensional drawing	52-3
Width	66 mm
Depth	34.5 mm
Length	127 mm
Installation dimensions	
Width of the assembly cutout	52 mm
Length of the assembly cutout	91 mm

Material specifications

Material Housing	PBT
Flammability rating according to UL 94	V0

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP65
Ambient temperature (operation)	-30 °C 70 °C
Ambient temperature (storage/transport)	-30 °C 80 °C

Mounting

Assembly instructions	Suitable for panel thicknesses 1 mm 5 mm



https://www.phoenixcontact.com/us/products/1407588



Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	27182702
	ECLASS-13.0	27182806
ΕT	ТІМ	
	ETIM 9.0	EC000456
UN	ISPSC	

31261500



https://www.phoenixcontact.com/us/products/1407588



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com