

# HC-B24-SP-RBK - Profile gasket



1407709

<https://www.phoenixcontact.com/us/products/1407709>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Profile gasket for HEAVYCON EVO supporting base element type B24



## Commercial data

Item number	1407709
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BF66
Product key	BF7AUX
Catalog page	Page 652 (C-4-2015)
GTIN	4046356778039
Weight per piece (including packing)	4.22 g
Weight per piece (excluding packing)	4.22 g
Customs tariff number	40169300
Country of origin	IT

# HC-B24-SP-RBK - Profile gasket



1407709

<https://www.phoenixcontact.com/us/products/1407709>

## Technical data

### Product properties

Product type	Seal
--------------	------

### Material specifications

Seal material Profile gasket	NBR
------------------------------	-----

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

### Mounting

Assembly instructions	The replacement seal should be bonded with Loctite 454 adhesive.
	For HC-EVO-B24....BK housing

# HC-B24-SP-RBK - Profile gasket



1407709

<https://www.phoenixcontact.com/us/products/1407709>

## Classifications

### ECLASS

ECLASS-11.0	23071590
ECLASS-12.0	23071590
ECLASS-13.0	23071590

### ETIM

ETIM 9.0	EC002498
----------	----------

### UNSPSC

UNSPSC 21.0	31401600
-------------	----------

# HC-B24-SP-RBK - Profile gasket



1407709

<https://www.phoenixcontact.com/us/products/1407709>

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)