

1411444

https://www.phoenixcontact.com/us/products/1411444

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



EVO metal cable gland with bayonet locking, B series, size M32, cable diameter: 14 - 21 mm

#### Commercial data

Item number	1411444
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BF57
Product key	BF7APM
Catalog page	Page 573 (C-4-2015)
GTIN	4046356932431
Weight per piece (including packing)	101.8 g
Weight per piece (excluding packing)	101 g
Customs tariff number	85389099
Country of origin	DE



https://www.phoenixcontact.com/us/products/1411444



#### Technical data

### Product properties

Product type	Cable gland with bayonet locking
Application	for greater strain relief
No. of conductors	1
Type of the screw connection	M32
Shielded	no

#### **Dimensions**

Dimensional drawing	935,8
Wrench size, union nut	34 mm

#### Material specifications

Color	aluminum
Material Pressure screw	Brass, nickel-plated
Seal material O-ring	NBR
Seal material Cable seal	NBR
Material for screw connection	Aluminum
Housing material	Die-cast aluminum, corrosion resistant

#### Cable/line

ternal cable diameter (Cable 1)
---------------------------------

#### Mechanical properties

#### Mechanical data

Type of the screw connection	M32
------------------------------	-----

#### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP66
	IP67
Enclosure rating (NEMA)	4 (UL 50e)
	4X (UL 50e)
	12 (UL 50e)
Ambient temperature (operation)	-40 °C 125 °C (static)



1411444

https://www.phoenixcontact.com/us/products/1411444

## Classifications

#### **ECLASS**

	ECLASS-11.0	27144432
	ECLASS-12.0	27140801
	ECLASS-13.0	27140801
ETIM		
	ETIM 9.0	EC000441
UNSPSC		
	UNSPSC 21.0	39121300



https://www.phoenixcontact.com/us/products/1411444



## Environmental product compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com