SACC-M 8-SET/2,2-3,5 - Connector

1436945

https://www.phoenixcontact.com/us/products/1436945

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Sensor/actuator connector, accessories, pressure screw and seal, for unshielded M8 connector, cable diameter 2.2 mm - 3.5 mm

Commercial data

Item number	1436945
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	BF30
Product key	BF2BAA
Catalog page	Page 17 (C-2-2019)
GTIN	4046356435406
Weight per piece (including packing)	1.22 g
Weight per piece (excluding packing)	1.22 g
Customs tariff number	40169300
Country of origin	DE

SACC-M 8-SET/2,2-3,5 - Connector

1436945

https://www.phoenixcontact.com/us/products/1436945



Technical data

Product type	Seal
No. of cable outlets	1
Shielded	no
Connection data	
Tightening torque	0.3 0.4 Nm
Dimensions	
Dimensional drawing	
Length	8.5 mm
External dimensions	
Outside diameter	2.2 mm 3.5 mm
Housing	
Diameter housing	12 mm
Naterial specifications	
Material	PA 6.6
Flammability rating according to UL 94	VO
Seal material	Neoprene

Environmental and real-life conditions

Ambient conditions		
Degree of protection	IP67	
Ambient temperature (operation)	-40 °C 85 °C	

SACC-M 8-SET/2,2-3,5 - Connector



https://www.phoenixcontact.com/us/products/1436945




Classifications

ECLASS

ECLASS-11.0	27440102
ECLASS-12.0	27440116
ECLASS-13.0	27440116

ETIM

	ETIM 9.0	EC002635		
UNSPSC				
	UNSPSC 21.0	39121400		



1436945

https://www.phoenixcontact.com/us/products/1436945



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com