

SACC-M16-KD-NUT-SH - EMC nut



1440164

<https://www.phoenixcontact.com/us/products/1440164>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

EMC nut, Threads, M16 x 1.5, Alternative product in accordance with RoHS II without Exemption 6c (Pb < 0.1 %) item no.: 1239703



Product description

EMC nut M16 required for shield contact with coated housing surfaces.

Commercial data

Item number	1440164
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	AB27
Product key	ABQZBA
Catalog page	Page 56 (C-2-2019)
GTIN	4046356483308
Weight per piece (including packing)	3.207 g
Weight per piece (excluding packing)	3.15 g
Customs tariff number	74153300
Country of origin	DE

SACC-M16-KD-NUT-SH - EMC nut



1440164

<https://www.phoenixcontact.com/us/products/1440164>

Technical data

Notes

General	Lock nut is included in the scope of delivery
---------	---

Product properties

Product type	EMC nut
Thread type	M16

Material specifications

Material	Brass, nickel-plated
Material for screw connection	Brass, nickel-plated

Mounting

Mounting type	Threads M16 x 1.5
---------------	-------------------

SACC-M16-KD-NUT-SH - EMC nut



1440164

<https://www.phoenixcontact.com/us/products/1440164>

Classifications

ECLASS

ECLASS-11.0	27440210
ECLASS-12.0	27440210
ECLASS-13.0	27440210

ETIM

ETIM 9.0	EC002310
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

SACC-M16-KD-NUT-SH - EMC nut



1440164

<https://www.phoenixcontact.com/us/products/1440164>

Environmental product compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com