

https://www.phoenixcontact.com/us/products/1553129



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



M12 screw plug with fast-locking system for unoccupied M12 female connectors of sensor/actuator cables, boxes, and flush-type connectors

Your advantages

- Reliable protection of unoccupied slots during transport and use in the field
- · Protected against splash water and dust
- · Easy assembly by hand or using a screwdriver
- · Good haptics due to ribbing
- · Secure and convenient locking with SPEEDCON

Commercial data

Item number	1553129
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	BF46
Product key	BF3ZAX
Catalog page	Page 197 (C-6-2019)
GTIN	4046356156776
Weight per piece (including packing)	1.75 g
Weight per piece (excluding packing)	1.6 g
Customs tariff number	39269097
Country of origin	DE



https://www.phoenixcontact.com/us/products/1553129




Technical data

Notes

	General	Not suitable for M12 sockets with K, L, or M coding			
Product properties					
	Product type	Plug for cable screw gland			
	Thread type	M12			

Dimensions



Material specifications

Flammability rating according to UL 94	V0
Material for screw connection	PA 6.6

Environmental and real-life conditions

Ambient conditions

Degree of protection IP67



https://www.phoenixcontact.com/us/products/1553129



Classifications

UNSPSC 21.0

ECLASS

ECI	LASS-11.0	23111190		
ECI	LASS-12.0	23111190		
ECI	LASS-13.0	23111190		
ETIM				
ETI	IM 9.0	EC000032		
UNSPSC				

31261500



https://www.phoenixcontact.com/us/products/1553129



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com