RC-09S1NA20000 - Contact insert

1596421

https://www.phoenixcontact.com/us/products/1596421

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Contact insert, M23, number of positions: 8+1, contact connection type: Socket, Solder-in connection, series: RC, TU, Alternative product in accordance with RoHS II without Exemption 6c (Pb < 0.1 %) item no.: 1240706

Commercial data

Item number	1596421
Packing unit	10 pc
Minimum order quantity	10 pc
Note	Made to order (non-returnable)
Sales key	AB31
Product key	ABRAFU
GTIN	4046356211246
Weight per piece (including packing)	11.2 g
Weight per piece (excluding packing)	11.2 g
Customs tariff number	85366990
Country of origin	DE

RC-09S1NA20000 - Contact insert



https://www.phoenixcontact.com/us/products/1596421



Technical data

Product properties

Product type	Contact insert
Number of positions	9
Connection profile	8+1
Application	Signal
Series	RC
	TU
Coding	Ν
Thread type	M23

Electrical properties

Contact diameter	2 mm
Max. current	20 A
Nominal voltage U _N	48 V AC 74 V DC
Overvoltage category	III
Degree of pollution	3
Rated surge voltage	1.5 kV

Contact

Contact diameter	1 mm
Max. current	8 A

Connection data

Connection method	Solder-in connection
-------------------	----------------------

Material specifications

Insulator material	PBT
Contact material	CuZn
Contact surface	Nickel-plated, gold coating

Connector

	Direction of rotation	Standard
Me	echanical properties	
	Mechanical data	
	Insertion/withdrawal cycles	50



1596421

https://www.phoenixcontact.com/us/products/1596421



Classifications

ECLASS

ECLASS-12.0 27440223 ECLASS-13.0 27440223	ECLASS-11.0	27440223
ECLASS-13.0 27440223	ECLASS-12.0	27440223
	ECLASS-13.0	27440223

ETIM

	ETIM 9.0	EC003557
UN	NSPSC	
	UNSPSC 21.0	39121400



1596421

https://www.phoenixcontact.com/us/products/1596421



Environmental product compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com