

# RC-12P1NC20000 - Contact insert



1597660

<https://www.phoenixcontact.com/us/products/1597660>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Contact insert, M23, number of positions: 12, contact connection type: Pin, Solder-in connection, series: RC, TU, Alternative product in accordance with RoHS II without Exemption 6c (Pb < 0.1 %) item no.: 1240868

## Commercial data

Item number	1597660
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	AB31
Product key	ABRAFU
GTIN	4046356217392
Weight per piece (including packing)	14.1 g
Weight per piece (excluding packing)	5.16 g
Customs tariff number	85366990
Country of origin	DE

# RC-12P1NC20000 - Contact insert



1597660

<https://www.phoenixcontact.com/us/products/1597660>

## Technical data

### Product properties

Product type	Contact insert
Number of positions	12
Connection profile	12
Application	Signal
Series	RC TU
Coding	N
Thread type	M23

### Electrical properties

#### Contact

Contact diameter	1 mm
Max. current	8 A
Overvoltage category	III
Degree of pollution	3
Rated surge voltage	1.5 kV

### Connection data

Connection method	Solder-in connection
-------------------	----------------------

### Material specifications

Insulator material	PBT
Contact material	CuZn
Contact surface	Nickel-plated, gold coating

### Connector

Direction of rotation	Standard
-----------------------	----------

### Mechanical properties

#### Mechanical data

Insertion/withdrawal cycles	50
-----------------------------	----

# RC-12P1NC20000 - Contact insert



1597660

<https://www.phoenixcontact.com/us/products/1597660>

## Classifications

### ECLASS

ECLASS-11.0	27440223
ECLASS-12.0	27440223
ECLASS-13.0	27440223

### ETIM

ETIM 9.0	EC003557
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# RC-12P1NC20000 - Contact insert



1597660

<https://www.phoenixcontact.com/us/products/1597660>

## Environmental product compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)