RC-12S1N8D0000 - Contact insert

1599343

https://www.phoenixcontact.com/us/products/1599343

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Contact insert, M23, number of positions: 12, contact connection type: Socket, Crimp connection, series: NC, RC, RM, TU, UC, Alternative product in accordance with RoHS II without Exemption 6c (Pb < 0.1 %) item no.: 1241077

Commercial data

Item number	1599343
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AB31
Product key	ABRAFU
GTIN	4046356225465
Weight per piece (including packing)	11.7 g
Weight per piece (excluding packing)	11.14 g
Customs tariff number	85389099
Country of origin	DE

RC-12S1N8D0000 - Contact insert

1599343

https://www.phoenixcontact.com/us/products/1599343

DPHŒNIX CONTACT

Technical data

Product properties

Product type	Contact insert
Number of positions	12
Connection profile	12
Application	Signal
Series	NC
	RC
	RM
	TU
	UC
Coding	Ν
Thread type	M23

Electrical properties

Contact	
Contact diameter	1 mm
Min. cross section	0.14 mm ²
Max. cross section	0.56 mm²
Max. current	8 A
Nominal voltage U _N	48 V AC 74 V DC
Overvoltage category	III
Degree of pollution	3
Rated surge voltage	1.5 kV

Connection data

Material specifications

Insulator material	PA66
Contact material	CuZn
Contact surface	Nickel-plated, gold coating

Connector

	Direction of rotation	Standard
--	-----------------------	----------

Mechanical properties

Mechanical data

Insertion/withdrawal cycles

50

Environmental and real-life conditions



1599343

https://www.phoenixcontact.com/us/products/1599343



Ambient conditions	
Ambient temperature (storage/transport)	15 °C 25 °C
Permissible humidity (storage/transport)	50 % 65 %



1599343

https://www.phoenixcontact.com/us/products/1599343



Classifications

ECLASS

ECLASS-12.0 27440223	ECLASS-11.0	27440223
	ECLASS-12.0	27440223
ECLASS-13.0 27440223	ECLASS-13.0	27440223

ETIM

	ETIM 9.0	EC003557
UN	NSPSC	
	UNSPSC 21.0	39121400



1599343

https://www.phoenixcontact.com/us/products/1599343



Environmental product compliance

REACh SVHC China RoHS	Lead 7439-92-1
	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com