

https://www.phoenixcontact.com/us/products/1607577



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Crimp contact, Pin, turned, contact diameter: 0.6 mm, crimp range: $0.06 \text{ mm}^2 \dots 0.25 \text{ mm}^2$, Alternative product in accordance with RoHS II without Exemption 6c (Pb < 0.1 %) item no.: 1242311

Your advantages

- · Crimping connection: vibration- and temperature-resistant assembly
- · High tensile strength of the connection
- · Low contact resistance
- · Easy production monitoring

Commercial data

Item number	1607577
Packing unit	100 pc
Minimum order quantity	100 pc
Sales key	AB36
Product key	ABREAB
Catalog page	Page 70 (C-2-2019)
GTIN	4046356272933
Weight per piece (including packing)	0.237 g
Weight per piece (excluding packing)	0.216 g
Customs tariff number	85366990
Country of origin	DE



https://www.phoenixcontact.com/us/products/1607577



Technical data

Product properties

Product type	Crimp contact
Contact material type	turned

Connection data

Connection method	Crimp connection
Contact connection type	Pin
Conductor cross section	0.06 mm² 0.25 mm²

Material specifications

Contact surface	Nickel-plated (Ni), with gold coating (Au)
Contact material	CuZn

Dimensions

Mechanical characteristics

Contact diameter 0.6 mm

Mechanical properties

Mechanical data

Packaging specifications



https://www.phoenixcontact.com/us/products/1607577



Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	27440204
	ECLASS-12.0	27440204
	ECLASS-13.0	27440204
ETIM		
	ETIM 9.0	EC000796
UN	SPSC	

39121500



https://www.phoenixcontact.com/us/products/1607577



Environmental product compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com