

1621668

https://www.phoenixcontact.com/us/products/1621668

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



CHARX connect basic, Seal, For the discharge nozzle below the infrastructure charging socket if there is no drainage tube present, Type 2, IEC 62196-2

Product description

Seal for discharge nozzle below the Infrastructure Socket Outlet if there is no drainage tube

Commercial data

Item number	1621668
Packing unit	10 pc
Minimum order quantity	1 pc
Product key	XWBAFC
GTIN	4046356953481
Weight per piece (including packing)	1.35 g
Weight per piece (excluding packing)	1 g
Country of origin	GB



1621668

https://www.phoenixcontact.com/us/products/1621668

Technical data

Product properties

Product type	Seal
Product family	CHARX connect basic
Application	For the discharge nozzle below the infrastructure charging socket if there is no drainage tube present
Charging standard	Type 2
Charging mode	Mode 3, Case B

Material specifications

Color ()	black (9005)

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-30 °C 50 °C
Ambient temperature (storage/transport)	-40 °C 80 °C
Altitude	5000 m (above sea level)

Standards and regulations

Standards

Standards/regulations	IEC 62196-2



1621668

https://www.phoenixcontact.com/us/products/1621668

Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	27144792
	ECLASS-12.0	27144792
	ECLASS-13.0	27144792
ETIM		
	ETIM 9.0	EC002884
UNSPSC		

39121500



1621668

https://www.phoenixcontact.com/us/products/1621668

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com