

1652211

https://www.phoenixcontact.com/us/products/1652211

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

D-SUB protective cover, shell size 3, IP54 degree of protection, for panel mounting frame and sleeve housing VS-25-...



Commercial data

Item number	1652211
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	AB19
Product key	ABNCBZ
Catalog page	Page 219 (C-2-2013)
GTIN	4017918917142
Weight per piece (including packing)	9.17 g
Weight per piece (excluding packing)	9.17 g
Customs tariff number	85389099
Country of origin	DE



https://www.phoenixcontact.com/us/products/1652211



Technical data

Product properties

Туре	25
Product type	Protective cover
Connection profile	D-SUB 25

Dimensions

Dimensional drawing	75.7 75.7 109.55
Width	16.5 mm
Height	23.8 mm
Length	109.6 mm

Material specifications

Color	gray
Material	Plastic
Flammability rating according to UL 94	V0
Housing material	PA

Mechanical properties

Mechanical data

Insertion/withdrawal cycles ≥ 1000

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP54
Ambient temperature (operation)	-40 °C 80 °C



1652211

https://www.phoenixcontact.com/us/products/1652211

Classifications

ECLASS

	ECLASS-11.0	27440208	
	ECLASS-12.0	27440208	
	ECLASS-13.0	27440208	
ETIM			
	ETIM 9.0	EC002314	
UNSPSC			
	UNSPSC 21.0	39121400	



https://www.phoenixcontact.com/us/products/1652211



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com