

1654552

https://www.phoenixcontact.com/us/products/1654552

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



RJ45 socket insert, modular (Keystone), CAT3, 8-pos., shielded, socket on socket

Commercial data

Item number	1654552
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	AB10
Product key	ABNACB
GTIN	4017918955076
Weight per piece (including packing)	9.1 g
Weight per piece (excluding packing)	8.988 g
Customs tariff number	85366990
Country of origin	TW



1654552

https://www.phoenixcontact.com/us/products/1654552

Technical data

Product properties

• •	
Туре	RJ45
Product type	Female insert
Sensor type	Ethernet
Number of positions	8
Connection profile	RJ45
Number of slots	1
Туре	Socket
Shielded	yes
Insulation characteristics	
Degree of pollution	2
Electrical properties	
Rated voltage (III/3)	72 V (DC)
Insulation resistance	≥ 500 MΩ
Transmission medium	Copper

Connection data

Connection technology

Connection method	Coupling
-------------------	----------

CAT3

Material specifications

Flammability rating according to UL 94	V0
Housing surface material	metal-plated
Contact surface material	Gold
Housing material	Metal

Environmental and real-life conditions

Transmission characteristics (category)

Ambient conditions

Degree of protection	IP20
----------------------	------



1654552

https://www.phoenixcontact.com/us/products/1654552

Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	27440223
	ECLASS-12.0	27440223
	ECLASS-13.0	27460201
ETIM		
	ETIM 9.0	EC003557
UNSPSC		

39121400



1654552

https://www.phoenixcontact.com/us/products/1654552

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com