HC-B 6-AP-GY - Cover plate

1660368

https://www.phoenixcontact.com/us/products/1660368

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

HEAVYCON cover plate, for wall cutouts of type B6, 3.5 mm thick, gray



Commercial data

Item number	1660368
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BF66
Product key	BF7AZD
Catalog page	Page 664 (C-2-2019)
GTIN	4017918022006
Weight per piece (including packing)	18.25 g
Weight per piece (excluding packing)	17.965 g
Customs tariff number	39269097
Country of origin	DE

HC-B 6-AP-GY - Cover plate

1660368

https://www.phoenixcontact.com/us/products/1660368



Technical data

Notes

	General	For wall cutouts of type B6
Product properties		
	Туре	B6
	Product type	Cover plate
	No. of cable outlets	3
	Seal present	yes

Dimensions

Dimensional drawing	
Width	52 mm
Height	4.5 mm
Length	86 mm
Drill hole distance, horizontal	70 mm
Drill hole distance, vertical	32 mm
Hole diameter	4.5 mm

Installation dimensions

Width of the assembly cutout	36 mm
Length of the assembly cutout	52 mm

Material specifications

Material	PA
Flammability rating according to UL 94	HB
Seal material	PTS

Environmental and real-life conditions

Ambient conditions	
Degree of protection	IP54
Ambient temperature (operation)	-20 °C 100 °C

HC-B 6-AP-GY - Cover plate

1660368

https://www.phoenixcontact.com/us/products/1660368



Classifications

ECLASS

ECLASS-11.0	27440201
ECLASS-12.0	27440201
ECLASS-13.0	27440201

ETIM

	ETIM 9.0	EC002309
UNSPSC		
	UNSPSC 21.0	31261500



1660368

https://www.phoenixcontact.com/us/products/1660368



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com