

## Polisher - POLISHER-POF - 1686122

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Polisher, made of metal, for CK1,6-...POF contacts, POF conductor diameter: 2.2 mm



### Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 172749
GTIN	4017918172749
Weight per Piece (excluding packing)	36.200 g
Custom tariff number	82055980
Country of origin	Poland

### Technical data

#### Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

### Classifications

#### eCl@ss

eCl@ss 10.0.1	27440192
eCl@ss 11.0	27440192
eCl@ss 4.0	27140800
eCl@ss 4.1	27140800

# Polisher - POLISHER-POF - 1686122

## Classifications

### eCl@ss

eCl@ss 5.0	27143400
eCl@ss 5.1	27143400
eCl@ss 6.0	27143400
eCl@ss 7.0	21019004
eCl@ss 9.0	27440192

### ETIM

ETIM 2.0	EC000796
ETIM 3.0	EC000796
ETIM 4.0	EC002609
ETIM 6.0	EC001699
ETIM 7.0	EC001699

### UNSPSC

UNSPSC 6.01	30211923
UNSPSC 7.0901	39121522
UNSPSC 11	39121522
UNSPSC 12.01	39121522
UNSPSC 13.2	39121522
UNSPSC 18.0	39121421
UNSPSC 19.0	39121421
UNSPSC 20.0	39121421
UNSPSC 21.0	39121421

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

### Approval details

# Polisher - POLISHER-POF - 1686122

## Approvals

EAC



RU C-  
DE.AI30.B.01102