

https://www.phoenixcontact.com/us/products/1686533



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Panel-mount flange for HEAVYCON ADVANCE housing

### Commercial data

Item number	1686533
Packing unit	20 pc
Minimum order quantity	20 pc
Sales key	BF66
Product key	BF7APZ
Catalog page	Page 596 (C-2-2019)
GTIN	4017918194345
Weight per piece (including packing)	11 g
Weight per piece (excluding packing)	9.865 g
Customs tariff number	85389099
Country of origin	CN



https://www.phoenixcontact.com/us/products/1686533



### Technical data

#### Notes

	General	2 for every connector
Pro	oduct properties	
	Туре	B6 - B24
	Product type	Panel-mount flange
	Туре	single without screws

Panel-mount flange

### Connection data

Housing type

Pg screw connection

Tightening torque	0.8 Nm 1.2 Nm (For M4 mounting screws on the panel-mount
	base)

#### **Dimensions**

Dimensional drawing	7.5 10 10 14
Width	42 mm
Height	20.5 mm
Depth	14 mm
Hole diameter	4.5 mm

### Material specifications

Material di	ie-cast aluminum
-------------	------------------

### Mechanical properties

Mechanical data	
Locking type	Nut

### Environmental and real-life conditions

Ambi	ent	cond	ditions

Ambient temperature (operation)	-40 °C 125 °C
,	

### Mounting

Assembly instructions	In order to guarantee that the protective conductor contact
Assembly instructions	·
	functions even when plugged in at an angle, the two panel-mount
	flanges must have sufficient electrical contact with the metal
	mounting panel.



https://www.phoenixcontact.com/us/products/1686533



Minimum panel thickness of a steel sheet: 2.0 mm. For mounting with self-tapping M4 screws: 3.6 mm drill-hole diameter



https://www.phoenixcontact.com/us/products/1686533



### Classifications

UNSPSC 21.0

#### **ECLASS**

ECL	_ASS-11.0	27440192
ECL	ASS-12.0	27440192
ECL	ASS-13.0	27440192
ETIM		
ETI	M 9.0	EC002943
UNSPS	SC .	

39121400



https://www.phoenixcontact.com/us/products/1686533



### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com