

https://www.phoenixcontact.com/us/products/1686850



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



NPT adapter, IP68, up to 5 bar, incl. O-ring seal, M25 to 3/4"

### Commercial data

Item number	1686850
Packing unit	25 pc
Minimum order quantity	25 pc
Sales key	BF68
Product key	BF7DZX
Catalog page	Page 694 (C-4-2015)
GTIN	4017918822712
Weight per piece (including packing)	58.56 g
Weight per piece (excluding packing)	55.24 g
Customs tariff number	74198090
Country of origin	DE



https://www.phoenixcontact.com/us/products/1686850



### Technical data

### Product properties

Product type	NPT adapter
--------------	-------------

#### **Dimensions**

Dimensional drawing	28 97 Ld 20 1 7
Length	28 mm
Length of the connecting thread	7 mm
Length without connecting thread	21 mm
Diameter	25 mm
Connecting thread diameter	25 mm
Thread type connection side	M25
Thread type on seal side	3/4 inch NPT

### Material specifications

Color	Brass
Material	Brass, nickel-plated
Seal material O-ring	NBR

#### Environmental and real-life conditions

### Ambient conditions

Degree of protection	IP68 (Depends on the screw connection used)
Ambient temperature (operation)	-20 °C 80 °C



https://www.phoenixcontact.com/us/products/1686850



## Classifications

#### **ECLASS**

ECLASS-11.0	27430314
ECLASS-12.0	27430314
ECLASS-13.0	27430314
ETIM	
ETIM 9.0	EC000938
LINEDEC	

### **UNSPSC**

1686850

https://www.phoenixcontact.com/us/products/1686850



## Environmental product compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com