

# HC-B 6-TMS-SD-IP50 - Protective cover



1690736

<https://www.phoenixcontact.com/us/products/1690736>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Protective cover B6, with clip locking, protective cover material: PA, height: 31.2 mm, seal: no, with lanyard

## Commercial data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 1690736             |
| Packing unit                         | 10 pc               |
| Minimum order quantity               | 10 pc               |
| Sales key                            | BF66                |
| Product key                          | BF7AZC              |
| Catalog page                         | Page 596 (C-2-2019) |
| GTIN                                 | 4017918890629       |
| Weight per piece (including packing) | 31.33 g             |
| Weight per piece (excluding packing) | 26.49 g             |
| Customs tariff number                | 85389099            |
| Country of origin                    | DE                  |

# HC-B 6-TMS-SD-IP50 - Protective cover



1690736


<https://www.phoenixcontact.com/us/products/1690736>

## Technical data

### Product properties

|                        |                  |
|------------------------|------------------|
| Type                   | B6               |
| Product type           | Protective cover |
| Retaining cord present | yes              |
| Housing type           | Protective cover |
| Seal present           | no               |

### Dimensions

|                     |  |
|---------------------|--|
| Dimensional drawing |  |
| Width               | 55 mm  |
| Height              | 31.2 mm  |
| Length              | 90 mm  |
| Diameter            | 3.5 mm   |

### Material specifications

|  |    |
|--|----|
| Material Protective cover              | PA |
| Flammability rating according to UL 94 | V0 |
| Material, protective cover             | PA |

### Environmental and real-life conditions

#### Ambient conditions

|                                 |                   |
|---------------------------------|-------------------|
| Degree of protection            | IP50              |
| Ambient temperature (operation) | -20 °C ... 100 °C |

# HC-B 6-TMS-SD-IP50 - Protective cover



1690736

<https://www.phoenixcontact.com/us/products/1690736>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27440208 |
| ECLASS-12.0 | 27440208 |
| ECLASS-13.0 | 27440208 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC002314 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

# HC-B 6-TMS-SD-IP50 - Protective cover



1690736

<https://www.phoenixcontact.com/us/products/1690736>

## Environmental product compliance

|            |   |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|            | No hazardous substances above threshold values          |

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)