1733169

https://www.phoenixcontact.com/us/products/1733169



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Insertion bridge for connectors with 5.0 mm or 5.08 mm pitch



Commercial data

Item number	1733169
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	AA08
Product key	AAHZFC
Catalog page	Page 829 (C-1-2013)
GTIN	4017918026509
Weight per piece (including packing)	0.58 g
Weight per piece (excluding packing)	0.352 g
Customs tariff number	85366990
Country of origin	PL

1733169

https://www.phoenixcontact.com/us/products/1733169



Technical data

Product line	COMBICON Connectors Special
Product type	Bridge
Product family	EBP
Number of positions	2
Pitch	5 mm
Number of connections	2
Number of rows	1
Number of potentials	2
ctrical properties	
Degree of pollution	3
nection data	
Maximum load current	24 A (depending on the use)
ensions	
Pitch erial specifications aterial data - contact	5 mm
erial specifications	WEEE/RoHS-compliant, free of whiskers according to IEC
erial specifications aterial data - contact Note	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201
erial specifications aterial data - contact Note Contact material	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy
erial specifications aterial data - contact Note	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201
erial specifications aterial data - contact Note Contact material	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy
erial specifications aterial data - contact Note Contact material Surface characteristics	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy
erial specifications aterial data - contact Note Contact material Surface characteristics aterial data - housing	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy Tin-plated
erial specifications aterial data - contact Note Contact material Surface characteristics aterial data - housing Color (Housing)	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy Tin-plated gray (7042)
erial specifications aterial data - contact Note Contact material Surface characteristics aterial data - housing Color (Housing) Insulating material Insulating material group CTI according to IEC 60112	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy Tin-plated gray (7042) PA I 600
erial specifications aterial data - contact Note Contact material Surface characteristics aterial data - housing Color (Housing) Insulating material Insulating material group CTI according to IEC 60112 Flammability rating according to UL 94	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy Tin-plated gray (7042) PA I 600 V0
erial specifications aterial data - contact Note Contact material Surface characteristics aterial data - housing Color (Housing) Insulating material Insulating material group CTI according to IEC 60112 Flammability rating according to UL 94 Glow wire flammability index GWFI according to EN 60695-2-12	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy Tin-plated gray (7042) PA I 600
erial specifications aterial data - contact Note Contact material Surface characteristics aterial data - housing Color (Housing) Insulating material Insulating material group CTI according to IEC 60112 Flammability rating according to UL 94	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy Tin-plated gray (7042) PA I 600 V0

Connection 1		
Insulating material	PA	
CTI according to IEC 60112	600	

1733169

https://www.phoenixcontact.com/us/products/1733169



Classifications

ECLASS

ECLASS-11.0	27460406
ECLASS-13.0	27460406
ECLASS-12.0	27460406
ETIM	

E

	ETIM 9.0	EC002943	
UNSPSC			
	UNSPSC 21.0	39121400	

1733169

https://www.phoenixcontact.com/us/products/1733169



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com