1733172

https://www.phoenixcontact.com/us/products/1733172

**PHŒNIX** CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Insertion bridge for connectors with 5.0 mm or 5.08 mm pitch

### Commercial data

Item number	1733172
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	AA08
Product key	AAHZFC
Catalog page	Page 829 (C-1-2013)
GTIN	4017918026516
Weight per piece (including packing)	0.78 g
Weight per piece (excluding packing)	0.77 g
Customs tariff number	85366990
Country of origin	CN

1733172

https://www.phoenixcontact.com/us/products/1733172



### Technical data

Product line	COMBICON Connectors Special
Product type	Bridge
Product family	EBP
Number of positions	3
Pitch	5 5 mm
Number of connections	3
Number of rows	1
ectrical properties	
Degree of pollution	3
nnection data	
Maximum load current	24 A (depending on the use)
nensions	
	_
	5 mm
Pitch	5 mm
	WEEE/RoHS-compliant, free of whiskers according to IEC
nterial specifications Material data - contact Note	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201
Aterial specifications Material data - contact Note Contact material	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy
nterial specifications Material data - contact Note	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201
Aterial specifications Material data - contact Note Contact material	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy
Aterial specifications Material data - contact Note Contact material Surface characteristics	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy
Aterial specifications Material data - contact Note Contact material Surface characteristics Material data - housing	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy Tin-plated
Aterial specifications Material data - contact Note Contact material Surface characteristics Material data - housing Color (Housing)	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy Tin-plated gray (7042)
Aterial specifications Material data - contact Note Contact material Surface characteristics Material data - housing Color (Housing) Insulating material	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy Tin-plated gray (7042) PA
Aterial specifications Material data - contact Note Contact material Surface characteristics Material data - housing Color (Housing) Insulating material group	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy Tin-plated gray (7042) PA I
Aterial specifications Material data - contact Note Contact material Surface characteristics Material data - housing Color (Housing) Insulating material Insulating material group CTI according to IEC 60112	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy Tin-plated gray (7042) PA I 600
Aterial specifications Material data - contact Note Contact material Surface characteristics Material data - housing Color (Housing) Insulating material Insulating material group CTI according to IEC 60112 Flammability rating according to UL 94	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201 Cu alloy Tin-plated gray (7042) PA I 600 V0

#### Connector

Connection 1	
Insulating material	PA
CTI according to IEC 60112	600

1733172

https://www.phoenixcontact.com/us/products/1733172



### Classifications

#### ECLASS

ECLASS-11.0	27460406	
ECLASS-13.0	27460406	
ECLASS-12.0	27460406	
TIM	2.100.000	

### E

ETIM 9.0	EC002943
UNSPSC	
UNSPSC 21.0	39121400

1733172

https://www.phoenixcontact.com/us/products/1733172



### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com