Q-FSMA-KT - F-SMA connector

1885994

https://www.phoenixcontact.com/us/products/1885994

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

QUICKON-FSMA plug, for polymer fibers, 4-part set

Commercial data

Item number	1885994
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BF65
Product key	BF7AIC
GTIN	4017918613815
Weight per piece (including packing)	17.7 g
Weight per piece (excluding packing)	16.2 g
Customs tariff number	85367000
Country of origin	PL

Technical data

Product properties

Type	FSMA
Product type	Fiber optic connector (cable side)
Number of positions	1

Electrical properties

Attenuation	< 3 dB

Dimensions

Mechanical characteristics

Contact diameter	3.1 mm

Material specifications

Material	EPDM
	CuNi7Zn39MnPb3

Characteristics

Attenuation	< 3 dB

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP20
Ambient temperature (operation)	-20 °C ... 70 °C

Mounting

Assembly instructions	For polymer optical fiber 980 mym / 1000 mym

Classifications

ECLASS

ECLASS-11.0	19170122
ECLASS-12.0	19170122
ECLASS-13.0	19170122

ETIM

ETIM 9.0	EC001122

UNSPSC

UNSPSC 21.0	43223300

Environmental product compliance

REACh SVHC	Lead 7439-92-1

China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com