

1886142

https://www.phoenixcontact.com/us/products/1886142

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Shield connection, for a shielded line on male contact carriers, incl. two loose crimp contacts for PROFIBUS line

Commercial data

Item number	1886142
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BF61
Product key	BF7ABZ
Catalog page	Page 669 (C-2-2019)
GTIN	4017918818418
Weight per piece (including packing)	16.3 g
Weight per piece (excluding packing)	16.1 g
Customs tariff number	85366990
Country of origin	DE



1886142

https://www.phoenixcontact.com/us/products/1886142

Technical data

Notes

General for HC-D40	, HC-D64 contact carriers
--------------------	---------------------------

Product properties

Product type	Shield connection
Contact material type	turned

Electrical properties

Rated voltage (III/3)	60 V

Connection data

Connection technology

Connection method	Crimp connection
-------------------	------------------

Dimensions

Mechanical characteristics

Contact diameter	1.6 mm
Contact diameter	1.0 11111

Material specifications

Contact material	Copper alloy
Contact surface material	hard-silver plated

Cable/line

External cable diameter ()	6 mm 9 mm
Stripping length of the individual wire	6 mm

Mechanical properties

Mech	anical	data
IVICCII	ariicai	uate

Insertion/withdrawal cycles	≥ 500

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation) -40 °C 60 °C
--

Mounting

Assembly instructions for a bus line, see assembly instruction 9655870, with two CK1,6-ED-0,37ST AG crimp contacts
--



1886142

https://www.phoenixcontact.com/us/products/1886142

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27440192	
ECLASS-12.0	27440192	
ECLASS-13.0	27440192	
ETIM		
ETIM 9.0	EC002943	
UNSPSC		

39121400



1886142

https://www.phoenixcontact.com/us/products/1886142

Environmental product compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com