

https://www.phoenixcontact.com/us/products/1914823



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Locking clip for engagement catches



## Commercial data

Item number	1914823
Packing unit	100 pc
Minimum order quantity	100 pc
Note	Made to order (non-returnable)
Sales key	BE19
Product key	BE1ZWX
Catalog page	Page 438 (C-3-2013)
GTIN	4017918459437
Weight per piece (including packing)	0.304 g
Weight per piece (excluding packing)	0.304 g
Customs tariff number	39269097
Country of origin	DE



https://www.phoenixcontact.com/us/products/1914823



## Technical data

## Product properties

Product type	Mounting material
Product family	Accessories
Number of positions	1
Pitch	0 mm

#### **Dimensions**

Pitch	0 mm

## Material specifications

Contact surface	Tin Sn

## Environmental and real-life conditions

#### Ambient conditions

Tandon Condition	
Ambient temperature (operation)	-60 °C 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C 70 °C
Ambient temperature (actuation)	-5 °C 70 °C
Permissible humidity (storage/transport)	30 % 70 %



https://www.phoenixcontact.com/us/products/1914823



## Classifications

### **ECLASS**

	ECLASS-11.0	27141190
	ECLASS-12.0	27141190
	ECLASS-13.0	27141190
ETIM		
	ETIM 9.0	EC002848
LINEDEC		

## **UNSPSC**

1914823

https://www.phoenixcontact.com/us/products/1914823



## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com