

MCC-MT 0,2-0,35 (0,0) BA - Crimp contact



1923717

<https://www.phoenixcontact.com/us/products/1923717>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Female contact, is inserted into the plug after crimping the conductor, for the module plug housing MCC 1...-STZ-3,81 and MCC 1...-STZF-3,81, for cross sections of 0.2 mm² to 0.34 mm²

Commercial data

| | |
|--------------------------------------|---------------------|
| Item number | 1923717 |
| Packing unit | 8,000 pc |
| Minimum order quantity | 8,000 pc |
| Sales key | AA02 |
| Product key | AABCAD |
| Catalog page | Page 827 (C-1-2013) |
| GTIN | 4017918571450 |
| Weight per piece (including packing) | 0.44 g |
| Weight per piece (excluding packing) | 0.5 g |
| Customs tariff number | 85366990 |
| Country of origin | DE |

MCC-MT 0,2-0,35 (0,0) BA - Crimp contact



1923717

<https://www.phoenixcontact.com/us/products/1923717>

Technical data

Product properties

| | |
|----------------|---------------|
| Product type | Crimp contact |
| Product family | MCC-MT |
| Pitch | 0 mm |

Connection data

| | |
|---|--|
| Connection method | Crimp connection |
| Contact connection type | Socket |
| Stripping length of the individual wire | 4 mm |
| Stripping length | 4 mm ... 4.1 mm |
| Conductor cross section flexible | 0.2 mm ² ... 0.34 mm ² |
| Conductor cross section AWG | 24 ... 22 |

Material specifications

| | |
|--|---------|
| Contact surface | Tin Sn |
| Contact surface material | Tin |
| Metal surface contact area (top layer) | Tin Sn) |

Dimensions

| | |
|---------------------|------|
| Dimensional drawing | |
| Pitch | 0 mm |

Electrical properties

| | |
|-----------------------|-----|
| Nominal current I_N | 4 A |
|-----------------------|-----|

Packaging specifications

| | |
|-------------------|------|
| Type of packaging | Belt |
|-------------------|------|

MCC-MT 0,2-0,35 (0,0) BA - Crimp contact



1923717

<https://www.phoenixcontact.com/us/products/1923717>

Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-11.0 | 27460403 |
| ECLASS-12.0 | 27460403 |
| ECLASS-13.0 | 27460403 |

ETIM

| | |
|----------|----------|
| ETIM 9.0 | EC000796 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 39121500 |
|-------------|----------|

MCC-MT 0,2-0,35 (0,0) BA - Crimp contact



1923717

<https://www.phoenixcontact.com/us/products/1923717>

Environmental product compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values |
|------------|---|

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com