

2200905

https://www.phoenixcontact.com/us/products/2200905

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Profile housing, Wall mounting (with accessories as an option), Aluminum profile, 2-piece, profile width (internal): 161 mm, profile width (external): 187 mm, length: 1000 mm, height: 187 mm, depth: 54.6 mm

Your advantages

- · Aluminum extruded profile
- · Available in lengths from 100 mm ... 1000 mm, can be cut to any length
- · Available in overall widths from 53.5 mm ... 161 mm
- Up to IP65 degree of protection
- · Can be used as handheld and wall housing
- Optional EMC seals available

Commercial data

Item number	2200905
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AC02
Product key	ACFAAA
Catalog page	Page 769 (C-1-2013)
GTIN	4046356715829
Weight per piece (including packing)	4,050 g
Weight per piece (excluding packing)	4,050 g
Customs tariff number	76042100
Country of origin	HU



2200905

https://www.phoenixcontact.com/us/products/2200905

Technical data

Product properties

Product type	Component housing lower part
Housing series	HC-ALU
Product family	HC-ALU 6-161
Туре	Aluminum profile, 2-piece
Housing type	Profile housing
Ventilation openings present	no

Dimensions

Dimensional drawing	187 161 157 157 157 157 157 157 157 157 157 15
Height	187 mm
Depth	54.6 mm
Length	1000 mm
External dimensions	
Profile width (external)	187 mm
Internal dimensions	
Profile width (internal)	161 mm
Asta talan artfordan	

Material specifications

Color (Housing)	graphite grey (RAL 7024)
Surface characteristics	powder coated
Housing material	Aluminum

Environmental and real-life conditions

Ambient conditions

Max. IP code to attain	IP65
Ambient temperature (operation)	-40 °C 85 °C

PCB data

Number of PCB holders	13
Type of PCB mount	Slot

Mounting

Mounting type	Wall mounting (with accessories as an option)
---------------	---



2200905

https://www.phoenixcontact.com/us/products/2200905

Classifications

ECLASS

	ECLASS-11.0	27182701
	ECLASS-13.0	27190601
ETIM		
	ETIM 9.0	EC002779
UN	ISPSC	

UNSPSC 21.0 31261500



2200905

https://www.phoenixcontact.com/us/products/2200905

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com