

2200913

https://www.phoenixcontact.com/us/products/2200913

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Mounting foot for panel mounting the HC-ALU panel mounting base



## Your advantages

- · Aluminum extruded profile
- · Available in lengths from 100 mm ... 1000 mm, can be cut to any length
- · Available in overall widths from 53.5 mm ... 161 mm
- Up to IP65 degree of protection
- · Can be used as handheld and wall housing
- · Optional EMC seals available

#### Commercial data

Item number	2200913
Packing unit	2 pc
Minimum order quantity	2 pc
Sales key	AC02
Product key	ACFAAZ
Catalog page	Page 768 (C-1-2013)
GTIN	4046356716888
Weight per piece (including packing)	58.4 g
Weight per piece (excluding packing)	58.4 g
Customs tariff number	76169990
Country of origin	HU



2200913

https://www.phoenixcontact.com/us/products/2200913

## Technical data

#### Product properties

Product type	Mounting material
Housing series	HC-ALU
Product family	HC-ALU
Туре	Panel fastening, including cover caps, for 200 mm profile length
Housing type	Profile housing
Ventilation openings present	no

#### Dimensions

Length	204.4 mm	



2200913

https://www.phoenixcontact.com/us/products/2200913

## Classifications

#### **ECLASS**

	ECLASS-11.0	27182701			
	ECLASS-13.0	27190605			
ETIM					
	ETIM 9.0	EC002779			
UNSPSC					

UNSPSC 21.0 31261500



2200913

https://www.phoenixcontact.com/us/products/2200913

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com