

2200930

https://www.phoenixcontact.com/us/products/2200930

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Press-drawn section housings, Basic profile front plate, width: 71.8 mm, length: 201.3 mm, depth: 2 mm, recommended for UM-ALU 4-..COVER PA.. lateral elements



Your advantages

- · Aluminum extruded profile
- · Variety of connection technology
- · Can be mounted on the DIN rail
- Available in lengths from 42.5 mm ... 990 mm, can be cut to any length
- · Available in overall widths of 75 mm and 105 mm
- EMC protection

Commercial data

Item number	2200930
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AC14
Product key	ACHDFC
Catalog page	Page 744 (C-1-2013)
GTIN	4046356720465
Weight per piece (including packing)	80.4 g
Weight per piece (excluding packing)	80.4 g
Customs tariff number	76061191
Country of origin	DE



2200930

https://www.phoenixcontact.com/us/products/2200930

Technical data

Product properties

Product type	Component housing cover
Housing series	UM-ALU
Product family	UM-ALU 4-72
Туре	Basic profile front plate
Housing type	Press-drawn section housings
Ventilation openings present	no

Dimensions

Width	71.8 mm
Depth	2 mm
Length	201.3 mm

Material specifications

Color (Housing)	aluminum
Surface characteristics	anodized
Housing material	Aluminum

Environmental and real-life conditions

Ambient conditions

Max. IP code to attain	IP40
Ambient temperature (operation)	-40 °C 100 °C (depending on power dissipation)
Ambient temperature (storage/transport)	-40 °C 55 °C
Ambient temperature (assembly)	-5 °C 100 °C



2200930

https://www.phoenixcontact.com/us/products/2200930

Classifications

ECLASS

	ECLASS-11.0	27182701	
	ECLASS-13.0	27190605	
ETIM			
	ETIM 9.0	EC002779	
UNSPSC			

UNSPSC 21.0 31261500



2200930

https://www.phoenixcontact.com/us/products/2200930

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com