#### 2201490

https://www.phoenixcontact.com/us/products/2201490

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

DIN rail housing, Cover, width: 39.7 mm, height: 51.8 mm, depth: 13.65 mm, color: light grey (similar RAL 7035)



### Your advantages

- · Tool-free mounting
- · Available in 40 mm overall width
- · Flammability rating V0 in accordance with UL 94
- · Variety of connection technology
- Can be mounted on the DIN rail
- With DIN-rail-mountable bus connector and power connector system as an option

#### Commercial data

Item number	2201490
Packing unit	10 рс
Minimum order quantity	10 pc
Sales key	AC15
Product key	ACHEAZ
Catalog page	Page 733 (C-1-2013)
GTIN	4046356838580
Weight per piece (including packing)	7.97 g
Weight per piece (excluding packing)	5.92 g
Customs tariff number	85389099
Country of origin	DE

PHŒN

2201490

https://www.phoenixcontact.com/us/products/2201490

# 

### Technical data

#### Notes

notes	NOLES			
C	General	Refer to the data sheet for the range in the download area.		
Product properties				
F	Product type	Upper housing part		
F	Housing series	ME PLC		
Т	Гуре	Cover		
F	Housing type	DIN rail housing		
V	/entilation openings present	no		
Dimensions				
V	Vidth	39.7 mm		
F	leight	51.8 mm		
C	Depth	13.65 mm		
Material specifications				
C	Color (Housing)	light grey (RAL 7035)		
F	Flammability rating according to UL 94	V0		
C	CTI according to IEC 60112	225		
S	Surface characteristics	untreated		
F	Housing material	Polycarbonate		
Environmental and real-life conditions Ambient conditions				
Ν	Max. IP code to attain	IP20		
A	Ambient temperature (operation)	-40 °C 105 °C (depending on power dissipation)		
A	Ambient temperature (storage/transport)	-40 °C 70 °C		
A	Ambient temperature (assembly)	-5 °C 100 °C		
F	Relative humidity (storage/transport)	95 %		

#### Mounting

Mounting type	Latching with lower housing part
Mounting position	Vertical (horizontal DIN rail)

#### Packaging specifications

Type of packaging	packed in cardboard
Outer packaging type	Carton

2201490

https://www.phoenixcontact.com/us/products/2201490



### Classifications

#### ECLASS

	ECLASS-11.0	27182702
	ECLASS-13.0	27190603
ETIM		
	ETIM 9.0	EC001031
UNSPSC		
	UNSPSC 21.0	31261500

2201490

https://www.phoenixcontact.com/us/products/2201490

# 

### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com