

2201632

https://www.phoenixcontact.com/us/products/2201632

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



19" socket strip, color: green, contact surface: Tin, number of positions: 32, product range: FRONT-ZFL 1,5, pitch: 5.08 mm, type of packaging: packed in cardboard

Commercial data

Item number	2201632
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	AA08
Product key	ААННВА
Catalog page	Page 789 (C-1-2013)
GTIN	4017918902001
Weight per piece (including packing)	55.47 g
Weight per piece (excluding packing)	55.09 g
Customs tariff number	85366990
Country of origin	CN



2201632

https://www.phoenixcontact.com/us/products/2201632

Technical data

Product properties

Туре	D
Product type	19" socket strip
Product family	FRONT-ZFL 1,5
Number of positions	32
Pitch	5.08 mm


Electrical properties

Rated surge voltage (II/2)	4 kV
reaccu surge voltage (11/2)	T I V

Connection data

Connection method	Spring-cage connection
Stripping length	11 mm

Dimensions



Material specifications

Color	green
Flammability rating according to UL 94	V0
Insulating material group	I
Insulating material	PBT
Contact surface	Tin Sn

Standards and regulations

Connection in acc. with standard	EN-VDE
----------------------------------	--------

Packaging specifications

Type of packaging	packed in cardboard



2201632

https://www.phoenixcontact.com/us/products/2201632

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27460101
ECLASS-12.0	27460101
ECLASS-13.0	27460101
ETIM	
ETIM 9.0	EC002643
UNSPSC	

39121400



2201632

https://www.phoenixcontact.com/us/products/2201632

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com