BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

https://www.phoenixcontact.com/us/products/2320458

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Used for mounting batteries that cannot be mounted on DIN rails.



Product description

Mounting set, consisting of battery frame for universal wall mounting or surface mounting, 2 x cross dowel (M6) with collar, 2 x screw (M6 x 140), 2 x washer (6.4 x 12), 1 x battery retaining bracket with fixing bracket, and 4 x screw (M3 x 14).

Commercial data

Item number	2320458
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	CM24
Product key	CMUEZ9
Catalog page	Page 339 (C-4-2019)
GTIN	4046356933131
Weight per piece (including packing)	5,500 g
Weight per piece (excluding packing)	5,410 g
Customs tariff number	73269098
Country of origin	DE

BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

https://www.phoenixcontact.com/us/products/2320458

Technical data

Product properties

Product type	Mounting material
Product family	Mounting material

Dimensions

Item	dimensions
nem	unnensions

Width	464 mm
Height	201 mm
Depth	205 mm

Material specifications

Housing material	Steel, powder-coated
------------------	----------------------

Environmental and real-life conditions

Ambient conditions	
Shock (operation)	15g, 11 ms, half sine (IEC 60068-2-27)
Vibration (operation)	0,7g (DNV-GL / IEC 60068-2-6)

Approvals

DNV GL data	
Vibration	Class A

BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

https://www.phoenixcontact.com/us/products/2320458

Classifications

ECLASS

	ECLASS-11.0	27059090
	ECLASS-12.0	27059090
	ECLASS-13.0	27059090
ETIM		
	ETIM 9.0	EC002839
UNSPSC		
	UNSPSC 21.0	26111700

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com