

2700123

https://www.phoenixcontact.com/us/products/2700123

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



LED flashing light element, 24 V AC/DC, yellow

Your advantages

- · Tool-free element changeover
- · High light and color intensity
- · Can be freely combined
- Minimum LED service life of 50,000 h
- · Low power consumption
- Degree of protection IP65

Commercial data

Item number	2700123
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DR07
Product key	DRL112
Catalog page	Page 516 (C-6-2019)
GTIN	4046356491174
Weight per piece (including packing)	74.1 g
Weight per piece (excluding packing)	74.1 g
Customs tariff number	85318070
Country of origin	DE



2700123

https://www.phoenixcontact.com/us/products/2700123

Technical data

Product properties

Product type	Optical element
Area of application	Signal tower

Electrical properties

Maximum power dissipation for nominal condition	0.72 W	
General		
Input voltage	24 V AC/DC	
Maximum inrush current	max. 500 mA	
Current consumption	30 mA	
Source of light type	LED	
Operating time	100 %	
Service life electrical	max. 100,000 h	

Dimensions

Height	65.5 mm
Diameter	70 mm

LED flashlight

approx. 1 Hz

Material specifications

Optical signal type

Signal frequency

Calotte color	yellow
Material	Polycarbonate PC

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP65 (when installed or with end cover)
Ambient temperature (operation)	-20 °C 50 °C

EMC data

Electromagnetic compatibility	Conformance with EMC Directive 2014/30/EU
-------------------------------	---

Mounting

Mounting type	Plug-in mounting
Assembly instructions	Rubber seal pre-installed for each element
Mounting position	any



2700123

https://www.phoenixcontact.com/us/products/2700123

Classifications

ECLASS

	ECLASS-11.0	27371220
	ECLASS-12.0	27371220
	ECLASS-13.0	27371220
ETIM		
	ETIM 9.0	EC000232
۱U	NSPSC	
	UNSPSC 21.0	46171600



2700123

https://www.phoenixcontact.com/us/products/2700123

Environmental product compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com