## PSD-S ME BR-SM - Mounting bracket



https://www.phoenixcontact.com/us/products/2700144

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Angle for floor mounting, black



## Your advantages

- · One-sided assembly for up to 5 signal elements
- · Without concealed cable routing

#### Commercial data

Item number	2700144
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DR07
Product key	DRL117
Catalog page	Page 520 (C-6-2019)
GTIN	4046356491365
Weight per piece (including packing)	43.5 g
Weight per piece (excluding packing)	42.7 g
Customs tariff number	39269097
Country of origin	DE

PHŒNIX

# PSD-S ME BR-SM - Mounting bracket

2700144

https://www.phoenixcontact.com/us/products/2700144



## Technical data

#### **Product properties**

Product type	Assembly element
Scope of delivery	2 x plastic screw 1 x cable threaded joint 1 x nut
	2 x plastic screw 1 x cable threaded joint 1 x nut

#### Dimensions

Dimensional drawing	
Width	76.5 mm
Height	57 mm
Diameter	55 mm

## Material specifications

Color	black
Material	PA A3 x 2G5

#### Environmental and real-life conditions

Ambient conditions	
Ambient temperature (operation)	-30 °C 50 °C
Mounting	
Mounting type	Page mounting

Mounting type	Base mounting
Mounting position	any

# PSD-S ME BR-SM - Mounting bracket



https://www.phoenixcontact.com/us/products/2700144




## Classifications

#### ECLASS

ECLASS-11.0	27371233
ECLASS-13.0	27371233
ECLASS-12.0	27371233

#### ETIM

	ETIM 9.0	EC001153
UNSPSC		
	UNSPSC 21.0	46171600



2700144

https://www.phoenixcontact.com/us/products/2700144



## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com