

# PSD-S ME T-M 400 - Mounting material



2700158

<https://www.phoenixcontact.com/us/products/2700158>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Tube, 400 mm high, Ø 25 mm

## Commercial data

Item number	2700158
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DR07
Product key	DRL117
Catalog page	Page 521 (C-6-2019)
GTIN	4046356491495
Weight per piece (including packing)	110.7 g
Weight per piece (excluding packing)	110.7 g
Customs tariff number	76082081
Country of origin	DE

# PSD-S ME T-M 400 - Mounting material



2700158


<https://www.phoenixcontact.com/us/products/2700158>

## Technical data

### Product properties

Product type	Assembly element
--------------	------------------

### Dimensions

Dimensional drawing	
Height	400 mm
Diameter	25 mm

### Material specifications

Color	silver
Material	Anodized aluminum

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-30 °C ... 60 °C
---------------------------------	------------------

### Mounting

Mounting type	Tube mounting
	Base mounting
Mounting position	any

# PSD-S ME T-M 400 - Mounting material



2700158

<https://www.phoenixcontact.com/us/products/2700158>

## Classifications

### ECLASS

ECLASS-13.0	27371236
ECLASS-12.0	27371236
ECLASS-11.0	27371236

### ETIM

ETIM 9.0	EC001155
----------	----------

### UNSPSC

UNSPSC 21.0	46171600
-------------	----------

# PSD-S ME T-M 400 - Mounting material



2700158

<https://www.phoenixcontact.com/us/products/2700158>

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)