## PC WORX SRT - Controller

2701680

https://www.phoenixcontact.com/us/products/2701680

**PHŒNIX** CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



This software PLC enables your PC to now handle all control tasks. Control your processes as required via PROFINET or Modbus/TCP

### Your advantages

- · Integrated web server for visualization with WebVisit
- OPC support using an AX OPC server
- FTP server
- · Easy installation on Valueline industrial PCs
- Numerous protocols supported such as: HTTP, FTP, SNTP, SNMP, SMTP, SQL, MySQL, etc.
- Integrated PROFINET controller and PROFINET device
- Engineering with PC Worx (IEC 61131-3)

## Commercial data

| Item number                          | 2701680                        |
|--------------------------------------|--------------------------------|
| Packing unit                         | 1 pc                           |
| Minimum order quantity               | 1 pc                           |
| Note                                 | Made to order (non-returnable) |
| Sales key                            | DR10                           |
| Product key                          | DRABAA                         |
| Catalog page                         | Page 54 (C-6-2019)             |
| GTIN                                 | 4046356779760                  |
| Weight per piece (including packing) | 78.4 g                         |
| Weight per piece (excluding packing) | 78.4 g                         |
| Customs tariff number                | 85234910                       |
| Country of origin                    | DE                             |

# PC WORX SRT - Controller

2701680

https://www.phoenixcontact.com/us/products/2701680



## Technical data

| oduct properties              |  |
|-------------------------------|--|
| Product type                  | Software PLC   |
| stem properties               |  |
| Performance class             | Small-scale controller   |
| Programmable under            | PC Worx in IEC 61131   |
| Application type              | distributed control technology   |
| EC 61131 runtime system       |  |
| Program memory                | 1 Mbyte  |
| Data storage system           | 1 Mbyte  |
| Retentive data storage        | 48 kByte   |
| Number of control tasks       | 8  |
| Number of data blocks         | depending on data storage  |
| Number of timers, counters    | depending on data storage  |
| Processing speed              | 5.5 μs (1 K mixed instructions, Intel <sup>®</sup> Atom™ Z510PT)   |
|                               | 4 µs (1 K bit instructions, Intel <sup>®</sup> Atom™ Z510PT)   |
| PROFINET                      |  |
| Device function               | PROFINET controller, PROFINET device   |
| unctionality                  |  |
| Basic functions               | Complete PLC   |
|                               | Non-realtime-capable software PLC for installation on a standau<br>PC<br>with integrated Modbus/TCP, plus PROFINET-Controller and            |
|                               | device functionality   |
| System requirements           |  |
| Operating equipment           | Keyboard, mouse recommended  |
| Operating system              | Windows <sup>®</sup> 7 (32-Bit/64-Bit)   |
|                               | Windows <sup>®</sup> 8.1 (32-Bit/64-Bit)   |
|                               | Windows <sup>®</sup> Embedded Standard 7   |
|                               |  |
|                               | Windows <sup>®</sup> Embedded 2009   |
|                               |  |
| Processor                     | Windows <sup>®</sup> Embedded 2009   |
| Processor<br>Hard disk memory | Windows <sup>®</sup> Embedded 2009<br>Windows <sup>®</sup> 10 (32-Bit/64-Bit)  |
|                               | Windows <sup>®</sup> Embedded 2009   Windows <sup>®</sup> 10 (32-Bit/64-Bit)   min. Intel <sup>®</sup> Atom™                                 |
| Hard disk memory              | Windows <sup>®</sup> Embedded 2009   Windows <sup>®</sup> 10 (32-Bit/64-Bit)   min. Intel <sup>®</sup> Atom™   min. 1 GByte                  |
| Hard disk memory<br>RAM       | Windows <sup>®</sup> Embedded 2009   Windows <sup>®</sup> 10 (32-Bit/64-Bit)   min. Intel <sup>®</sup> Atom™   min. 1 GByte   min. 512 Mbyte |

#### **Electrical properties**

Real-time clock



2701680 https://www.phoenixcontact.com/us/products/2701680



Realtime clock

Yes

# PC WORX SRT - Controller

2701680

https://www.phoenixcontact.com/us/products/2701680



## Classifications

#### ECLASS

| ECLASS-11.0 | 27242501 |
|-------------|----------|
| ECLASS-12.0 | 27242501 |
| ECLASS-13.0 | 27242501 |

#### ETIM

|        | ETIM 9.0    | EC000809 |  |  |
|--------|-------------|----------|--|--|
| UNSPSC |             |          |  |  |
|        | UNSPSC 21.0 | 43233600 |  |  |

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com