

2701872

https://www.phoenixcontact.com/us/products/2701872

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Two of these SD cards, with two ILC 131 ETHs and the individually required input and output terminals, form a multiplexer system that requires no programming. Easy configuration via a small number of wire jumpers. Wireless, Ethernet cable or network connection.

#### Product description

The basic function of the SD FLASH 512MB MODULAR MUX is for those who wish to utilize the advantages of a flexible multiplexer solution without having to program controllers. To enable this, the minimum configuration with just a few wire jumpers is used. Standard components (2 x ILC 131 ETH; 2 x SD FLASH 512MB MODULAR MUX) are used for this, plus the necessary input and output terminals. Communication between the two multiplexer components (ILC 131 ETH) is then established fully automatically via an Ethernet cable or a transparent wireless transmission.

It is also possible to incorporate both multiplexers into one Ethernet. The required Ethernet configuration is implemented via the web interface of the ILC 131 ETH. This is easily done using a PC and a standard browser.

Note: Always perform the safety-related startup inhibit outside of the MODULAR MUX system using safety-related parts of the controller. When doing so, observe the relevant basic and proven safety principles

The following standard components are required:

2 x ILC 131 ETH (Item No. 2700973) 2 x SD FLASH 512MB MODULAR MUX (Item No. 2701872)

An Ethernet cable (wired communication) is required to connect the two systems.

The specified number of input and output terminals from the Inline Modular range from Phoenix Contact (marked with logo, see below) is also required.

All wireless systems that can transmit TCT/IP data transparently can be used to connect the ILC 131 ETH to a multiplexer system. The following Phoenix Contact wireless products are suitable for this:

1 x FL BT EPA 2 (Item No. 1005869) 2 x FL EPA 2 (Item No. 1005955) as well as WLAN Ethernet components in the FL WLAN 24 XX 802-11 series

#### Your advantages

- · License key for application program
- For storing application programs and other files in the file system of the PLC
- · Program and configuration memory, plug-in, with license key for function block libraries.

#### Commercial data

Item number	2701872
Packing unit	1 pc



2701872

https://www.phoenixcontact.com/us/products/2701872

Minimum order quantity	1 pc
Sales key	DR10
Product key	DRAAZA
Catalog page	Page 55 (C-6-2019)
GTIN	4046356868686
Weight per piece (including packing)	9.2 g
Weight per piece (excluding packing)	8.5 g
Customs tariff number	85235190
Country of origin	DE



2701872

https://www.phoenixcontact.com/us/products/2701872

#### Technical data

#### Product properties

Product type	Storage medium
Mounting position	vertical
Application	Multiplexer system

#### Electrical properties

·		
Supply		
Supply voltage	3.3 V DC	
Supply voltage range	2.7 V DC 3.6 V DC	
Typical current consumption	typ. 50 mA	

0.165 W

#### Material specifications

Housing material	Plastic
riousing material	i lastic

#### Environmental and real-life conditions

Maximum power dissipation for nominal condition

#### Ambient conditions

Ambient temperature (operation)	-40 °C 85 °C	

#### Mounting

	Mounting position	vertical
--	-------------------	----------



2701872

https://www.phoenixcontact.com/us/products/2701872

### Classifications

UNSPSC 21.0

#### **ECLASS**

ECLASS-11.0	27242212	
ECLASS-12.0	27242212	
ECLASS-13.0	27242212	
ETIM		
ETIM 9.0	EC000192	
UNSPSC		

32101600



2701872

https://www.phoenixcontact.com/us/products/2701872

### Environmental product compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com