

# ME DH 36 NS 35 KMGY - Spacer




2706292

<https://www.phoenixcontact.com/us/products/2706292>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Spacers, for protection of the input or output contacts for DIN rail NS 35, width [B] 36 mm



## Your advantages

- Easy installation

## Commercial data

Item number	2706292
Packing unit	10 pc
Minimum order quantity	10 pc
Note	Made to order (non-returnable)
Sales key	AC08
Product key	ACHACZ
Catalog page	Page 692 (C-1-2013)
GTIN	4046356517508
Weight per piece (including packing)	14.3 g
Weight per piece (excluding packing)	14.3 g
Customs tariff number	39269097
Country of origin	DE

# ME DH 36 NS 35 KMGY - Spacer



2706292

<https://www.phoenixcontact.com/us/products/2706292>

## Technical data

### Notes

General	Refer to the data sheet for the range in the download area.
---------	---

### Product properties

Product type	Mounting material
Housing series	ME
Housing type	DIN rail housing
Ventilation openings present	no

### Material specifications

Color (Housing)	light grey (RAL 7035)
Flammability rating according to UL 94	V0
Surface characteristics	untreated
Housing material	Polyamide

### Environmental and real-life conditions

#### Ambient conditions

Max. IP code to attain	IP20
Ambient temperature (operation)	-40 °C ... 105 °C (depending on power dissipation)
Ambient temperature (storage/transport)	-40 °C ... 55 °C
Ambient temperature (assembly)	-5 °C ... 100 °C
Relative humidity (storage/transport)	80 %

# ME DH 36 NS 35 KMGY - Spacer



2706292

<https://www.phoenixcontact.com/us/products/2706292>

## Classifications

### ECLASS

ECLASS-11.0	27182702
ECLASS-13.0	27190605

### ETIM

ETIM 9.0	EC001031
----------	----------

### UNSPSC

UNSPSC 21.0	31261500
-------------	----------

# ME DH 36 NS 35 KMGY - Spacer



2706292

<https://www.phoenixcontact.com/us/products/2706292>

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)