

https://www.phoenixcontact.com/us/products/2706412



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Universal DIN rail adapter for screwing on switchgear



Commercial data

Item number	2706412
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	AC07
Product key	ACGEAD
Catalog page	Page 764 (C-1-2013)
GTIN	4017918822743
Weight per piece (including packing)	147.7 g
Weight per piece (excluding packing)	146.7 g
Customs tariff number	79070000
Country of origin	DE



https://www.phoenixcontact.com/us/products/2706412



Technical data

Product properties

Туре	Fastening holes provided, integrated foot catch
Product type	Mounting rail adapter
Product family	UTA
Housing type	DIN rail adapter

Dimensions

Width	52 mm
Height	130 mm
Depth	9.6 mm

Material specifications

Housing material	Zinc die-cast

Environmental and real-life conditions

Vibration test

Specification	IEC 60068-2-6:2007-12
Frequency	10 - 150 - 10 Hz
Sweep speed	1 octave/min
Amplitude	0.35 mm (10 Hz 60.1 Hz)
Acceleration	5g (60.1 Hz 150 Hz)
Test duration per axis	2.5 h
Test directions	X-, Y- and Z-axis

Mounting

Mounting type	DIN rail mounting



https://www.phoenixcontact.com/us/products/2706412



Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27370419
ECLASS-12.0	27370419
ECLASS-13.0	27370419
ETIM	
ETIM 9.0	EC001024
UNSPSC	

39121400

2706412

https://www.phoenixcontact.com/us/products/2706412



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com