

EB 10- DIK BU 30GRAD - Insertion bridge



2716965

<https://www.phoenixcontact.com/us/products/2716965>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Insertion bridge, pitch: 6.15 mm, number of positions: 10, color: blue

Commercial data

Item number	2716965
Packing unit	10 pc
Minimum order quantity	10 pc
Product key	BE1Z2X
GTIN	4017918324117
Weight per piece (including packing)	4.504 g
Weight per piece (excluding packing)	4.504 g
Country of origin	PL

EB 10- DIK BU 30GRAD - Insertion bridge



2716965

<https://www.phoenixcontact.com/us/products/2716965>

Technical data

Product properties

Product type	Insertion bridge
Number of positions	10
Pitch	6.15 mm

Dimensions

Pitch	6.15 mm
-------	---------

Material specifications

Color	blue
-------	------

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

EB 10- DIK BU 30GRAD - Insertion bridge



2716965

<https://www.phoenixcontact.com/us/products/2716965>

Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

ETIM

ETIM 9.0	EC000489
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

EB 10- DIK BU 30GRAD - Insertion bridge



2716965

<https://www.phoenixcontact.com/us/products/2716965>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com