

2744623

https://www.phoenixcontact.com/us/products/2744623

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Quick stripping tool for PROFIBUS cable, type Fast Connect



Your advantages

- · Easy operation
- · Compact design
- · Multi-stage stripping in just one step
- · Quick and clean stripping of the PROFIBUS Fast Connect bus line
- · Individual adjustment of the blades to adapt to the radius
- For PVC, PUR, and PE insulation
- 3000 processes for cables with PVC outer sheath

Commercial data

Item number	2744623
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AB10
Product key	ABNAAZ
Catalog page	Page 442 (C-6-2019)
GTIN	4017918811679
Weight per piece (including packing)	85.7 g
Weight per piece (excluding packing)	85.7 g
Customs tariff number	82055980
Country of origin	DE



2744623

https://www.phoenixcontact.com/us/products/2744623

Technical data

_				
$\mathbf{\nu}$	radı	ıct.	nrc	perties
	ıout	ıvı	ν	טכו ווכס

Product type	Data plug	
Connection data		
Stripping length	70 mm	
Dimensions		
Width	27 mm	
Height	40 mm	
Length	105 mm	
Material specifications		
Color	black	
Cable/line		
External cable diameter	6 mm 8 mm	



2744623

https://www.phoenixcontact.com/us/products/2744623

Classifications

ECLASS

	ECLASS-11.0	21049090		
	ECLASS-12.0	21049090		
	ECLASS-13.0	21049090		
ETIM				
	ETIM 9.0	EC001282		
UNSPSC				
	UNSPSC 21.0	27111500		



2744623

https://www.phoenixcontact.com/us/products/2744623

Environmental product compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com