

SUBCON-SHORT-SCREW - Screw

2799694

<https://www.phoenixcontact.com/us/products/2799694>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Optional mounting screw, without knurl for narrow installation conditions, slotted head, length: 40 mm, UNC 4-40 thread Supplied as standard: 1 bag of 20 screws

Commercial data

Item number	2799694
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DN10
Product key	DNC5Z1
Catalog page	Page 450 (C-6-2019)
GTIN	4017918155759
Weight per piece (including packing)	39.1 g
Weight per piece (excluding packing)	37 g
Customs tariff number	74153300
Country of origin	DE

SUBCON-SHORT-SCREW - Screw



2799694

<https://www.phoenixcontact.com/us/products/2799694>

Technical data

Product properties

Product type	Mounting material
--------------	-------------------

Dimensions

Length	40 mm
--------	-------

SUBCON-SHORT-SCREW - Screw



2799694

<https://www.phoenixcontact.com/us/products/2799694>

Classifications

ECLASS

ECLASS-11.0	27440290
ECLASS-12.0	27440290
ECLASS-13.0	27440290

ETIM

ETIM 9.0	EC002943
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

SUBCON-SHORT-SCREW - Screw



2799694

<https://www.phoenixcontact.com/us/products/2799694>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com