

PWT CCT-SET - Mounting material



2800532

<https://www.phoenixcontact.com/us/products/2800532>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Mounting set for connecting three lightning current arresters of type PWT 35-800AC-FM



Commercial data

Item number	2800532
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	CL01
Product key	CL1141
Catalog page	Page 52 (C-4-2019)
GTIN	4046356570695
Weight per piece (including packing)	147 g
Weight per piece (excluding packing)	147 g
Customs tariff number	76109090
Country of origin	DE

PWT CCT-SET - Mounting material



2800532

<https://www.phoenixcontact.com/us/products/2800532>

Technical data

Product properties

Product type	Mounting material
Product family	POWERTRAB

Connection data

PE conductor connection

Connection method	Ring cable lug
Screw thread	M10
Tightening torque	20 Nm
Conductor cross section flexible	16 mm ² ... 95 mm ²
Conductor cross section rigid	16 mm ² ... 95 mm ²
Conductor cross section AWG	6 ... 3/0

Material specifications

Color	Silver
-------	--------

Approvals

UL connection data

Tightening torque	175 lb _f -in.
Conductor cross section AWG	3/0

PWT CCT-SET - Mounting material



2800532

<https://www.phoenixcontact.com/us/products/2800532>

Classifications

ECLASS

ECLASS-11.0	27371392
ECLASS-12.0	27371392
ECLASS-13.0	27371392

ETIM

ETIM 9.0	EC002498
----------	----------

UNSPSC

UNSPSC 21.0	39121100
-------------	----------

PWT CCT-SET - Mounting material



2800532

<https://www.phoenixcontact.com/us/products/2800532>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com