SSA 5-10 - Shield connection

2839512

https://www.phoenixcontact.com/us/products/2839512

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Shield fast connection for 5 ... 10 mm cable diameter. Potential connecting cable: 200 mm, 1 $\rm mm^2,$ color: black

Your advantages

- · Easy mounting with integrated shield connection
- · Firm shield connection on the product with short connection cable
- Additional cable connection area with spring shield connection
- · Easy marking with integrated marking field

Commercial data

Item number	2839512
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	CL21
Product key	CL211Z
Catalog page	Page 197 (C-4-2017)
GTIN	4017918183004
Weight per piece (including packing)	6.15 g
Weight per piece (excluding packing)	5.87 g
Customs tariff number	85444290
Country of origin	DE

SSA 5-10 - Shield connection

2839512

https://www.phoenixcontact.com/us/products/2839512



Technical data

Product properties

	Туре	Adapter		
	Product type	Shield connection		
Dimensions				
I	External dimensions			
	Outside diameter	5 mm 10 mm		
Material specifications				
	Color	white (RAL 9010)		
		Copper		

SSA 5-10 - Shield connection

2839512

https://www.phoenixcontact.com/us/products/2839512



Classifications

ECLASS

	ECLASS-11.0	27130890		
	ECLASS-13.0	27171501		
ETIM				
	ETIM 9.0	EC001625		
UNSPSC				
	UNSPSC 21.0	39121600		



2839512

https://www.phoenixcontact.com/us/products/2839512



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com