

https://www.phoenixcontact.com/us/products/2859233



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Shield fast connection for 3 \dots 6 mm cable diameter. Potential connecting cable: 250 mm, 1 mm², color: green/yellow



Your advantages

- · Easy mounting with integrated shield connection
- · Firm shield connection on the product with short connection cable
- · Additional cable connection area with spring shield connection
- · Easy marking with integrated marking field

Commercial data

Item number	2859233
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	CL21
Product key	CL211Z
GTIN	4017918924379
Weight per piece (including packing)	5.73 g
Weight per piece (excluding packing)	5.58 g
Customs tariff number	85444290
Country of origin	DE



2859233

https://www.phoenixcontact.com/us/products/2859233

Technical data

Product properties

Mounting type

	Туре	Adapter		
	Product type	Shield connection		
Material specifications				
	Color	green-yellow		
		light grey (RAL 7035)		
Mechanical properties				
M	echanical data			
	Open side panel	No		
Мо	unting			

on cable



https://www.phoenixcontact.com/us/products/2859233



Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	27130890			
	ECLASS-13.0	27171501			
ETIM					
	ETIM 9.0	EC001625			
UNSPSC					

39121600



https://www.phoenixcontact.com/us/products/2859233



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com