

https://www.phoenixcontact.com/us/products/2864639



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Flexible wire loop bridge, 50-pos., conductor cross-section: $0.5~\mathrm{mm}^2$, loop length: 90 mm, ferrule length: 8 mm, color: red



Commercial data

Item number	2864639
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	C460
Product key	CK611Z
GTIN	4017918896515
Weight per piece (including packing)	37.1 g
Weight per piece (excluding packing)	35.8 g
Customs tariff number	85369010
Country of origin	DE



https://www.phoenixcontact.com/us/products/2864639



Technical data

_					
ப	radi	IICt.	nro	perti	20
	ıvu	ucı	DID	ווסט	53

	Product type	Loop bridge
Material specifications		
	Color	red (RAL 3001)
Cable/line		
	Cable cross section	0.5 mm²



https://www.phoenixcontact.com/us/products/2864639



Classifications

ECLASS

	ECLASS-11.0	27371692
	ECLASS-12.0	27371692
	ECLASS-13.0	27371692
ETIM		
	ETIM 9.0	EC002586

UNSPSC

2864639

https://www.phoenixcontact.com/us/products/2864639



Environmental product compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com