

2880192

https://www.phoenixcontact.com/us/products/2880192

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Replacement PCB for ""D-LAN-19""..."" products. Assembly with four surge-protected ports for data interfaces in acc. with Cat.5/EN 50 17 3 (100Base-T) incl. RJ45 connection sockets.

Your advantages

- · Easy contactor replacement with modular design
- · Easy network integration via RJ45 jacks
- Can be used in applications up to 1□Gbps with adapted protective circuit

Commercial data

Item number	2880192
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	CL24
Product key	CL3111
Catalog page	Page 167 (C-4-2019)
GTIN	4017918963613
Weight per piece (including packing)	125.8 g
Weight per piece (excluding packing)	102.39 g
Customs tariff number	85363010
Country of origin	DE



2880192

https://www.phoenixcontact.com/us/products/2880192

Technical data

_					
ப	radi	IICt.	nro	oertie	0
	ıou	ucı	טוטו	טכו נוכ	

	· ·		
	Product type	PCB	
Material specifications			
	Color	Silver	



2880192

https://www.phoenixcontact.com/us/products/2880192

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27371392	
ECLASS-12.0	27371392	
ECLASS-13.0	27171592	
ETIM		
ETIM 9.0	EC002497	
UNSPSC		

39121100



2880192

https://www.phoenixcontact.com/us/products/2880192

Environmental product compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com