

https://www.phoenixcontact.com/us/products/2880985



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Connecting cable 20 cm with F connector, male connector.

Your advantages

- · No signal interference with optimum transmission properties
- · Space-saving, thanks to the compact design
- · Easy installation with system-conforming connection technology

Commercial data

Item number	2880985
Packing unit	5 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	CL331Z
Catalog page	Page 204 (C-4-2019)
GTIN	4046356049214
Weight per piece (including packing)	25.69 g
Weight per piece (excluding packing)	21.4 g
Country of origin	CN



https://www.phoenixcontact.com/us/products/2880985



Technical data

Product properties

External cable diameter

	• •			
	Туре	Cable		
	Product type	Coaxial cable		
Floatrical proportios				
Electrical properties				
	Frequency range	5 MHz 2200 MHz		
Connection data				
	Connection method	F connector		
Material specifications				
	Color	white (RAL 9010)		
Cable/line				
	Cable length	25.00 cm		
	Cable/line name	Connecting cable		

5.00 mm



https://www.phoenixcontact.com/us/products/2880985



Classifications

ECLASS

	ECLASS-11.0	27060310	
	ECLASS-12.0	27060310	
	ECLASS-13.0	27060310	
ETIM			
	ETIM 9.0	EC001682	

UNSPSC



https://www.phoenixcontact.com/us/products/2880985



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com