

Adapter - RAD-ADP-RSMA/F-SMA/F - 2884538

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Antenna adapter, frequency range: 0.3 GHz ... 6 GHz, connection: RSMA (male) -> SMA (female)

Your advantages

- ✓ As an adapter between devices and cables
- ✓ Adapter for installing the antenna inside buildings



Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 114257
GTIN	4046356114257
Weight per Piece (excluding packing)	6.200 g
Custom tariff number	85366910
Country of origin	Taiwan

Technical data

Dimensions

Width	15.6 mm
Diameter	10 mm

Ambient conditions

Ambient temperature (operation)	-65 °C ... 165 °C
Ambient temperature (storage/transport)	-65 °C ... 165 °C
Degree of protection	IP20

General

Adapter - RAD-ADP-RSMA/F-SMA/F - 2884538

Technical data

General

Housing material	Brass (CuZn)
------------------	--------------

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 25;
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss

eCl@ss 10.0.1	19070417
eCl@ss 11.0	19070417
eCl@ss 4.0	27240400
eCl@ss 4.1	27240400
eCl@ss 5.0	27242700
eCl@ss 5.1	27242700
eCl@ss 6.0	27242200
eCl@ss 7.0	27440310
eCl@ss 9.0	19070417

ETIM

ETIM 2.0	EC001423
ETIM 3.0	EC001423
ETIM 4.0	EC001423
ETIM 6.0	EC001135
ETIM 7.0	EC001135

UNSPSC

UNSPSC 6.01	20142601
UNSPSC 7.0901	20142601
UNSPSC 11	20142601
UNSPSC 12.01	20142601
UNSPSC 13.2	20142601

Approvals

Approvals

Adapter - RAD-ADP-RSMA/F-SMA/F - 2884538

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		EAC-Zulassung
-----	---	---------------
