

FL LCX 50-OHM - Termination resistor



2884978

<https://www.phoenixcontact.com/us/products/2884978>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



A termination resistor must be screwed on at the end of the leaky wave conductor which does not contain any wireless part. It guarantees an antenna cable termination with the correct impedance and is important for every wireless installation.

Commercial data

Item number	2884978
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DN23
Product key	DNN2Z3
Catalog page	Page 394 (C-6-2019)
GTIN	4046356173162
Weight per piece (including packing)	23.3 g
Weight per piece (excluding packing)	22.8 g
Customs tariff number	85366910
Country of origin	PL

FL LCX 50-OHM - Termination resistor

2884978

<https://www.phoenixcontact.com/us/products/2884978>



Technical data

Product properties

Product type	Terminal resistor
--------------	-------------------

Electrical properties

Frequency range	2.4 GHz ... 6 GHz
Impedance	50 Ω

Connection data

Connection method	N (male)
-------------------	----------

FL LCX 50-OHM - Termination resistor



2884978

<https://www.phoenixcontact.com/us/products/2884978>

Classifications

ECLASS

ECLASS-11.0	19070403
ECLASS-12.0	19070403
ECLASS-13.0	19070403

ETIM

ETIM 9.0	EC000448
----------	----------

UNSPSC

UNSPSC 21.0	32121600
-------------	----------

FL LCX 50-OHM - Termination resistor



2884978
<https://www.phoenixcontact.com/us/products/2884978>

Environmental product compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com